



Shandong Tinghan Bearing Co., Ltd.



BSA 206 CGA Bearing 2D drawings and 3D CAD models

1.181 Inch | 30 Millimeter x 2.441 Inch | 62 Millimeter x 0.63 Inch | 16 Millimeter SKF BSA 206 CGA Precision Ball Bearings

Bearing No. BSA 206 CGA

Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.232
EAN	7316577739506
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7 ISO P4
Material - Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	62 Degree
Preload	Light
Raceway Style	1 Rib Inner Ring and Outer Ring
Cage Material	Polyamide
Rolling Element	Ball Bearing
Mounting Arrangement	Universal
Flush Ground	Yes
Inch - Metric	Metric
Other Features	Single Row Angular Contact Thrust Bearing Super Precision Single Direction Modified Internal Design
Long Description	30MM Bore; 62MM



Shandong Tinghan Bearing Co., Ltd.

	Outside Diameter; 16MM Width; Open Enclosure; ABEC 7 ISO P4 Precision; Steel Ball Material; 1 (Single) Bearings; 62 Degree Contact Angle; Polyamide Cage Material; 1 Rib Inner Ring an
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	BSA 206 CGA
Weight / LBS	0.512
d	1.181 Inch 30 Millimeter
D	2.441 Inch 62 Millimeter
B	0.63 Inch 16 Millimeter
bore diameter:	30 mm
cage material:	Nylon
outside diameter:	62 mm
maximum rpm:	9500 RPM
overall width:	16 mm
precision rating:	Not Rated
contact angle:	60 °
fillet radius:	1 mm
row type & fill slot:	Single-Row Non-Fill Slot
series:	BSA
internal clearance:	C0
dynamic load capacity:	28.5 kN
closure type:	Open
static load capacity:	71 kN
operating temperature range:	Maximum of +120 ° C



Shandong Tinghan Bearing Co., Ltd.